

# CLARKE ACCESS CONTROL PRODUCTS

## High Security Electric Release


### TYPE 966

The type 966 electric release mortice latch is robust and reliable and is available as a fail open or fail locked with sensing if required. These releases are designed for high security and have been specified for Borough Council applications. Generally they can be fitted as replacements for other releases.

***Suitable to work with the Assa High Security Lock.***

*(Without door frame modifications.)*

- **Withstands loads > 2200lbs**
- **Sensing or non-sensing**
- **Various faceplate options**
- **12vDC or 24VDC options**
- **Steel face plate**
- **Stainless steel locking latch**
- **Spares Available**



### Technical Specifications

- **Standard Voltage:** 12DC, 24vDC Available
- **Current Consumption:** 300mA nominal at 12v-24vDC– fail locked or unlocked
- **Locking Plunger:** 6mm stainless steel-withstands up to (2200lbs)
- **Micro-Switch Sensing:** Available option for latch sensing
- **Mild steel faceplate - bright zinc plated with stainless steel latch block. (Brass body.)**

### Applications

The Type 966 is designed for situations requiring high security access control and is made for heavy repeated use. It has been specified particularly for multiple occupancy buildings, banks and government institutions such as social security offices. The type 966 is available with various faceplate options.

Faceplate No 16 is ideal for wooden door frames, and No's 13 & 24 are suitable for both metal & wooden door frames, and can be purchased as separate items. The faceplates are held in place by security screws. In the event of damage or breakdown, spares are available and repair can be quickly effected.

***Manufactured by:-***

**CLARKE INSTRUMENTS LIMITED.**

**Distloc House, Old Sarum Airfield,  
The Portway, Salisbury, Wiltshire, SP4 6DZ**

**Tel: 01722 323451**

**Fax: 01722 335154**

**Web: www.clarke-inst.com.**

**E-mail: Sales@clarke-inst.com**



**C.I.L. Products comply with  
EMC Directives of EEC  
Certificate Number FM12702  
BS EN ISO9001:2008**